WEST Search History

[Hide Items] [Restore] [Clear] [Cancel]

DATE: Sunday, September 16, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
☐	L27	L26 same "integrity check value"	3
☐	L26	"communication" same "mutual authentication"	1261
☐	L25.	L24 and "message"	7
☐	L24	L19 and "integrity check value"	7
☐	L23	L22 and @ad<=19991122	1
☐	L22	L21 and "message"	16
☐	L21	L19 and "integrity"	17
☐	L20	L19 same "integrity"	0
☐	L19	"communication" near "mutual authentication"	76
☐	L18	L17 and @ad<=19991122	3
☐	L17	L16 and "message"	31
☐	L16	L13 and "integrity"	34
☐	L15	L13 and "integrity check"	2
☐	L14	L13 and "integrity check value"	2
☐	L13	L12 and "mutual authentication"	100
☐	L12	"communication" and "first device" and "second device"	13350

END OF SEARCH HISTORY

Google

| secure communication, integrity check value, r | Search | Advanced Search
Preferences
New! View and manage your web history

Web Results **1 - 10** of about **37,200** for <u>secure communication, integrity check value, message, stream ciph</u>

<u>Secure message authentication for binary additive stream cipher ...</u>
However, while some **message** encryption methods may provide some **integrity check** as
a by-product, the common encryption method of Additive **Stream Cipher ...**
www.freepatentsonline.com/5345507.html - 44k - <u>Cached</u> - <u>Similar pages</u>

<u>Circuit and method for providing secure communications between ...</u>
The **secure communications** are maintained through use of an **integrity check value**
(ICV) that accompanies a **message**. The ICV is used to determine whether the ...
www.freepatentsonline.com/20040230799.html - 44k - <u>Cached</u> - <u>Similar pages</u>

[DOC] <u>WEP Protocol Weaknesses and Vulnerabilities</u>
File Format: Microsoft Word - <u>View as HTML</u>
This creates the **Integrity Check Value** (ICV). The Frame Body and ICV are appended
together and XOR'd with the output of the RC4 **stream cipher.** ...
islab.oregonstate.edu/koc/ece478/03Report/hong-lemhachheche-project.doc -
<u>Similar pages</u>

<u>Wireless Local Area Network Security - Obscurity Trough...</u>
WEP encryption uses a symmetric **stream cipher** called RC4. The key is a static shared ...
WEP includes a checkfield called the **integrity check value** (ICV). ...
www.ee.oulu.fi/research/ouspg/frontier/sota/whitepaper-wots/paper.html - 57k -
<u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Wireless LAN Security</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Michael: Nonlinear **message integrity check.** ß. Rapid re-keying. ß. Pre-Shared key
mode ... **Stream Cipher.** Plain Text. XOR. Encrypted Data. Packet Key ...
www.cse.wustl.edu/~jain/cse574-06/ftp/j_cwls2.pdf - <u>Similar pages</u>

<u>Internet Draft H. Andersson S. Josefsson RSA Security August 2001 ...</u>
WEP uses the **stream cipher** RC4 with key obtained as the concatenation of a 24 ...
Finally, there is no real data **integrity** since the **integrity check value** ...
ietfreport.isoc.org/all-ids/draft-josefsson-pppext-eap-tls-eap-00.txt - 26k -
<u>Cached</u> - <u>Similar pages</u>

<u>Making Home Automation **Communications Secure**</u>
authenticates and protects the **integrity** of **messages** critical to home safety and .... Our
algorithm is a **stream cipher** that does not need block padding. ...
doi.ieeecomputersociety.org/10.1109/2.955099 - <u>Similar pages</u>

<u>Cryptography patents 200612</u>
The state-varying hybrid **stream cipher** comprises at least two software routines. ...
20060291655 - **Secure** intermediary **communications** system: A system for ...
www.freshpatents.com/Cryptography-dt200612ntc380.php - 44k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>An efficient application of a dynamic crypto system in mobile ...</u>
stream with the **ciphertext** yields the original plaintext. To. ensure that a packet has not
been modified in transit, WEP. uses an **Integrity Check** (IC) field ...
ieeexplore.ieee.org/iel5/9178/29115/01311295.pdf - <u>Similar pages</u>

[PDF] Chapter 7 SECURITY AND INSECURITY OF WIRELESS NETWORKS
that the 32-bit CRC **integrity check value** is valid, and the challenge text ... For **stream ciphers**, the XOR MAC does. not provide any **message integrity** ...
www.springerlink.com/index/m3303t2u48134316.pdf - Similar pages

Try Google Desktop: search your computer as easily as you search the web.

---

secure communication, integrity che Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google